



2012

Core Drilling In Hole Tools Catalogue



KUVAWALA CORE DRILL EQPT. PVT. LTD.

QUALITY RUNS DEEP

www.kuvawalacoredrill.com

INDEX

- ❖ WIRELINE DRILL RODS
- ❖ WIRELINE CORE BARRELS
- ❖ WIRELINE OVERSHOTS
- ❖ CONVENTIONAL CORE BARRELS
- ❖ CONVENTIONAL DRILL RODS
- ❖ WATER SWIVELS
- ❖ HOISTING PLUGS
- ❖ CASINGS
- ❖ RECOVERY TOOLS
- ❖ ADAPTERS
- ❖ WRENCHES

WIRELINE DRILL RODS

- ❖ INDUCTION HARDENED RODS
- ❖ HEAT TREATED AND INDUCTION HARDENED RODS
- ❖ GALL FREE RODS
- ❖ CHROME PLATED RODS
- ❖ THIN WALL INDUCTION HARDENED RODS

WIRELINE INDUCTION HARDENED DRILL RODS




SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AWL	1.5M	44.5	34.9	4	7.1	K2-01-001
AWL	3.0M	44.5	34.9	4	14.2	K2-01-002
AT	1.5M	44.5	34.9	2.5	7.1	K2-01-003
AT	3.0M	44.5	34.9	2.5	14.2	K2-01-004
BWL	1.5M	55.6	46	3	9.4	K2-02-001
BWL	3.0M	55.6	46	3	18.6	K2-02-002
BT	1.5M	55.6	46	2.5	9.4	K2-02-003
BT	3.0M	55.6	46	2.5	18.6	K2-02-004
NWL	1.5M	69.9	60.3	3	12	K2-03-001
NWL	3.0M	69.9	60.3	3	23.5	K2-03-002
NT	1.5M	69.9	60.3	2	12.1	K2-03-003
NT	3.0M	69.9	60.3	2	23.6	K2-03-004
HWL	1.5M	88.9	77.8	3	18	K2-04-001
HWL	3.0M	88.9	77.8	3	34.9	K2-04-002
HT	1.5M	88.9	77.8	2	18.2	K2-04-003
HT	3.0M	88.9	77.8	2	35.2	K2-04-004
PWL	1.5M	114.	101.	3	28	K2-05-001
PWL	3.0M	114.	101.	3	52.5	K2-05-002
PHD	1.5M	114.	101.	2.5	28.2	K2-05-003
PHD	3.0M	114.	101.	2.5	53	K2-05-004

KCDE WIRELINE DRILL RODS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING ROD SIZES OF ' Q ' SERIES

ALL KUVAWALA WIRELINE DRILL RODS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 / SAE 4130 / SAE 5130 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES FOR MID BODY AND STRAIGHTNESS BETTER THAN 1 : 5000 .

WIRELINER HEAT TREATED AND INDUCTION HARDENED DRILL ROD



SIZE	LENGT H	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AWL	1.5M	44.5	34.9	4	7.1	K4-01-001
AWL	3.0M	44.5	34.9	4	14.2	K4-01-002
AT	1.5M	44.5	34.9	2.5	7.1	K4-01-003
AT	3.0M	44.5	34.9	2.5	14.2	K4-01-004
BWL	1.5M	55.6	46	3	9.4	K4-02-001
BWL	3.0M	55.6	46	3	18.6	K4-02-002
BT	1.5M	55.6	46	2.5	9.4	K4-02-003
BT	3.0M	55.6	46	2.5	18.6	K4-02-004
NWL	1.5M	69.9	60.3	3	12	K4-03-001
NWL	3.0M	69.9	60.3	3	23.5	K4-03-002
NT	1.5M	69.9	60.3	2	12.1	K4-03-003
NT	3.0M	69.9	60.3	2	23.6	K4-03-004
HWL	1.5M	88.9	77.8	3	18	K4-04-001
HWL	3.0M	88.9	77.8	3	34.9	K4-04-002
HT	1.5M	88.9	77.8	2	18.2	K4-04-003
HT	3.0M	88.9	77.8	2	35.2	K4-04-004
PWL	1.5M	114.	101.	3	28	K4-05-001
PWL	3.0M	114.	101.	3	52.5	K4-05-002
PHD	1.5M	114.	101.	2.5	28.2	K4-05-003
PHD	3.0M	114.	101.	2.5	53	K4-05-004

KCDE WIRELINER DRILL RODS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING ROD SIZES OF ' Q ' SERIES

ALL KUVAWALA WIRELINER DRILL RODS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 / SAE 4130 / SAE 5130 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES FOR MID BODY AND STRAIGHTNESS BETTER THAN 1: 5000.

GALL FREE WIRELINE DRILL ROD



HEAT TREATED ROD ENDS HARDENED (30 TO 35 Rc) THROUGHOUT THE WALL THICKNESS UPTO A LENGTH OF 200MM

LATEST SURFACE TREATMENT TECHNOLOGY WHICH CREATES MICROSCOPIC LAYER ON THE METAL SURFACE IMPROVING THE WEAR RESISTANCE AND RUST PREVENTION EXPONENTIALLY. IT ALSO ELIMINATES FRICTION COMPLETELY RESULTING IN 100% GALLING FREE DRILL ROD

SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AWL	1.5M	44.5	34.9	4	7.1	K3-01-001
AWL	3.0M	44.5	34.9	4	14.2	K3-01-002
AT	1.5M	44.5	34.9	2.5	7.0	K3-01-003
AT	3.0M	44.5	34.9	2.5	14.0	K3-01-004
BWL	1.5M	55.6	46	3	8.9	K3-02-001
BWL	3.0M	55.6	46	3	17.9	K3-02-002
BT	1.5M	55.6	46	2.5	8.9	K3-02-003
BT	3.0M	55.6	46	2.5	17.9	K3-02-004
NWL	1.5M	69.9	60.3	3	12	K3-03-001
NWL	3.0M	69.9	60.3	3	23.5	K3-03-002
NT	1.5M	69.9	60.3	2	12.1	K3-03-003
NT	3.0M	69.9	60.3	2	23.6	K3-03-004
HWL	1.5M	88.9	77.8	3	18	K3-04-001
HWL	3.0M	88.9	77.8	3	34.9	K3-04-002
HT	1.5M	88.9	77.8	2	18.2	K3-04-003
HT	3.0M	88.9	77.8	2	35.2	K3-04-004
PWL	1.5M	114.	101.	3	28	K3-05-001
PWL	3.0M	114.	101.	3	52.5	K3-05-002
PHD	1.5M	114.	101.	2.5	28.2	K3-05-003
PHD	3.0M	114.	101.	2.5	53	K3-05-004

KCDE WIRELINE DRILL RODS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING ROD SIZES OF ' Q ' SERIES

ALL KUVAWALA WIRELINE DRILL RODS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 / SAE 4130 / SAE 5130 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES FOR MID BODY AND STRAIGHTNESS BETTER THAN 1 : 5000 .



CHROME PLATED WIRELINE DRILL RODS



HARD
CHROME
PLATING
100
MICRONS
THICK
210MM
LONG
HARDNESS
60-65 Rc.

SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AWL	1.5M	44.5	34.9	4	7.1	K1-01-001
AWL	3.0M	44.5	34.9	4	14.2	K1-01-002
AT	1.5M	44.5	34.9	2.5	7.1	K1-01-003
AT	3.0M	44.5	34.9	2.5	14.2	K1-01-004
BWL	1.5M	55.6	46	3	9.4	K1-02-001
BWL	3.0M	55.6	46	3	18.6	K1-02-002
BT	1.5M	55.6	46	2.5	9.4	K1-02-003
BT	3.0M	55.6	46	2.5	18.6	K1-02-004
NWL	1.5M	69.9	60.3	3	12	K1-03-001
NWL	3.0M	69.9	60.3	3	23.5	K1-03-002
NT	1.5M	69.9	60.3	2	12.1	K1-03-003
NT	3.0M	69.9	60.3	2	23.6	K1-03-004
HWL	1.5M	88.9	77.8	3	18	K1-04-001
HWL	3.0M	88.9	77.8	3	34.9	K1-04-002
HT	1.5M	88.9	77.8	2	18.2	K1-04-003
HT	3.0M	88.9	77.8	2	35.2	K1-04-004
PWL	1.5M	114.3	101.6	3	28	K1-05-001
PWL	3.0M	114.3	101.6	3	52.5	K1-05-002
PHD	1.5M	114.3	101.6	2.5	28.2	K1-05-003
PHD	3.0M	114.3	101.6	2.5	53	K1-05-004

KCDE WIRELINE DRILL RODS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING ROD SIZES OF ' Q ' SERIES

ALL KUVAWALA WIRELINE DRILL RODS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 / SAE 4130 / SAE 5130 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES FOR MID BODY AND STRAIGHTNESS BETTER THAN 1 : 5000 .



THIN WALL WIRELINE INDUCTION HARDENED DRILL RODS




SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
ATW	1.5M	44.5	36.8	4.62	5.9	K5-01-001
ATW	3.0M	44.5	36.8	4.62	11.8	K5-01-002
BTW	1.5M	56.5	48.8	4.62	7.6	K5-02-001
BTW	3.0M	56.5	48.8	4.62	15.3	K5-02-002
NTW	1.5M	73.3	64.2	4.62	28.0	K5-03-001
NTW	3.0M	73.3	64.2	4.62	14.0	K5-03-002

ALL KUVAWALA WIRELINE DRILL RODS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 / SAE 4130 / SAE 5130 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES FOR MID BODY AND STRAIGHTNESS BETTER THAN 1 : 5000 .

WIRELINER CORE BARRELS

- ❖ AWL
- ❖ BWL
- ❖ NWL
- ❖ NWL-LI
- ❖ N2WL
- ❖ N3WL
- ❖ N3WL-LI
- ❖ HWL
- ❖ HWL-LI
- ❖ H3WL
- ❖ H3WL-LI
- ❖ PWL-LI
- ❖ P3WL-LI


AWL CORE BARREL



KUVAWALA WIRELINE CORE BARRELS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF ' Q ' SERIES CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-28	AWL CORE BARREL 3.0m / 10 ft	12-00-100
1-28	AWL CORE BARREL 1.5m / 5 ft	12-00-110
1-22	AWL INNER TUBE ASSEMBLY	12-00-120
1-18	AWL HEAD ASSEMBLY	12-00-130
1	SPEARHEAD POINT	12-03-001
2	CASE LATCH	12-03-002
3	SPRING DOWELL 3/8" x 1 5/8" - 2 NOS.	12-03-003
4	LATCH SPRING	12-03-004
5	AWL LATCH - 2 NOS.	12-03-005
6	SOLID DOWELL 3/8" x 1 1/4"	12-03-006
7	BODY LATCH	12-03-007
8	ADJUSTING HEX NUT	12-03-008
9	ADJUSTING SPINDLE	12-03-009
10	SHUT OFF VALVE - 2 NOS.	12-03-010
11	WASHER - 2 NOS.	12-03-011
12	THRUST BEARING	12-03-012
13	BEARING SPINDLE	12-03-013
14	COMPRESSION SPRING	12-03-014
15	THRUST BEARING	12-03-015
16	NYLOCK NUT , 1/2" UNC	12-03-017
17	INNER TUBE CAP	12-03-018
18	GREASE FITTING	16-03-024
19	INNER TUBE 1.5m / 5 ft	12-03-020
19	INNER TUBE 3.0m/ 10 ft	12-03-021
20	RING STOP	12-03-022
21	CORE LIFTER	12-03-023
22	CORE LIFTER CASE	12-03-024
23	LOCKING COUPLING	12-02-001
24	ADAPTER COUPLING	12-02-002
25	RING LANDING	12-02-003
26	OUTER TUBE 1.5m / 5 ft	12-02-004
26	OUTER TUBE 3.0m/ 10 ft	12-02-005
27	STABILIZER RING	12-02-006
28	THREAD PROTECTOR	12-02-007


BWL CORE BARREL



KUVAWALA WIRELINE CORE BARRELS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF ' Q ' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-32	BWL CORE BARREL 3.0m / 10 ft	14-00-100
1-32	BWL CORE BARREL 1.5m / 5 ft	14-00-110
1-26	BWL INNER TUBE ASSEMBLY	14-00-120
1-22	BWL HEAD ASSEMBLY	14-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	14-03-001
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	14-03-002
7	SPRING DOWELL 3/8" x 1 5/8" - 2 NOS.	14-03-003
8	LATCH SPRING	14-03-004
9	BWL LATCH - 2 NOS.	14-03-005
10	SOLID DOWELL 3/8" x 1 1/4"	14-03-006
11	BODY LATCH	14-03-007
12	ADJUSTING HEX NUT	14-03-008
13	ADJUSTING SPINDLE	14-03-009
14	SHUT OFF VALVE - 2 NOS.	14-03-010
15	WASHER - 2 NOS.	14-03-011
16	THRUST BEARINGS - 2 NOS.	14-03-012
17	BEARING SPINDLE	14-03-014
18	GREASE FITTING	16-03-024
19	COMPRESSION SPRING	14-03-016
20	NYLOCK NUT , 5/8" UNC	14-03-017
21	INNER TUBE CAP	14-03-018
22	GREASE FITTING	16-03-024
23	INNER TUBE 1.5m / 5 ft	14-03-019
23	INNER TUBE 3.0m / 10 ft	14-03-020
24	RING STOP	14-03-021
25	CORE LIFTER	14-03-022
26	CORE LIFTER CASE	14-03-023
27	LOCKING COUPLING	14-02-001
28	ADAPTER COUPLING	14-02-002
29	RING LANDING	14-02-003
30	OUTER TUBE 1.5m / 5 ft	14-02-004
30	OUTER TUBE 3.0m / 10 ft	14-02-005
31	STABILIZER RING	14-02-006
32	THREAD PROTECTOR	14-02-007

NWL CORE BARREL



KUVAWALA WIRELINE CORE BARRELS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-34	NWL CORE BARREL 3.0m / 10 ft	16-00-200
1-34	NWL CORE BARREL 1.5m / 5 ft	16-00-210
1-28	NWL INNER TUBE ASSEMBLY	16-00-220
1-24	NWL HEAD ASSEMBLY	16-00-230
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	16-03-004
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	16-04-001
7	SPRING DOWELL 1/2" x 2" - 2 NOS.	16-03-007
8	LATCH SPRING	16-03-008
9	NWL LATCH - 2 NOS.	16-04-002
10	SOLID DOWELL 1/2" x 1 1/2"	16-03-010
11	BODY LATCH	16-04-003
12	ADJUSTING HEX NUT	16-03-017
13	ADJUSTING SPINDLE	16-03-018
14	SHUT OFF VALVE - 2 NOS.	16-03-019
15	WASHER - 2 NOS.	16-03-020
16	THRUST BEARING	16-03-021
17	BEARING COVER	16-03-022
18	BEARING SPINDLE	16-03-023
19	GREASE FITTING	16-03-024
20	THRUST BEARING	16-03-025
21	COMPRESSION SPRING	16-03-026
22	NYLOCK NUT, 3/4" UNC	16-03-027
23	INNER TUBE CAP ASSEMBLY	16-03-028
24	GREASE FITTING	16-03-024
25	INNER TUBE 1.5m / 5 ft	16-03-029
25	INNER TUBE 3.0m / 10 ft	16-03-030
26	RING STOP	16-03-031
27	CORE LIFTER	16-03-032
28	CORE LIFTER CASE	16-03-033
29	LOCKING COUPLING	16-02-001
30	ADAPTER COUPLING	16-02-002
31	RING LANDING	16-02-003
32	OUTER TUBE 1.5m / 5 ft	16-02-004
32	OUTER TUBE 3.0m / 10 ft	16-02-005
33	STABILIZER RING	16-02-006
34	THREAD PROTECTOR	16-02-007


Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141

Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com


NWL-LI CORE BARREL



KUVAWALA 'LI' WIRELINE CORE BARRELS WITH LANDING INDICATOR ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-39	NWL-LI CORE BARREL 3.0m / 10 ft	16-00-100
1-39	NWL-LI CORE BARREL 1.5m / 5 ft	16-00-110
1-33	NWL-LI INNER TUBE ASSEMBLY	16-00-120
1-29	NWL-LI HEAD ASSEMBLY	16-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	16-03-004
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	16-03-006
7	SPRING DOWELL 1/2" x 2" - 2 NOS.	16-03-007
8	LATCH SPRING	16-03-008
9	NWL-LI LATCH - 2 NOS.	16-03-009
10	SOLID DOWELL 1/2" x 1 1/2"	16-03-010
11	UPPER BODY LATCH	16-03-011
12	LANDING SHOULDER	16-03-012
13	LOWER BODY LATCH	16-03-013
14	STAINLESS STEEL BALL 22 mm	16-03-014
15	LANDING INDICATOR BUSH	16-03-015
16	LANDING INDICATOR BUSH O RING	16-03-016
17	ADJUSTING HEX NUT	16-03-017
18	ADJUSTING SPINDLE	16-03-018
19	SHUT OFF VALVE - 2 NOS.	16-03-019
20	WASHER - 2 NOS.	16-03-020
21	THRUST BEARING	16-03-021
22	BEARING COVER	16-03-022
23	BEARING SPINDLE	16-03-023
24	GREASE FITTING	16-03-024
25	THRUST BEARING	16-03-025
26	COMPRESSION SPRING	16-03-026
27	NYLOCK NUT , 3/4" UNC	16-03-027
28	INNER TUBE CAP ASSEMBLY	16-03-028
29	GREASE FITTING	16-03-024
30	INNER TUBE 1.5m / 5 ft	16-03-029
30	INNER TUBE 3.0m / 10 ft	16-03-030
31	RING STOP	16-03-031
32	CORE LIFTER	16-03-032
33	CORE LIFTER CASE	16-03-033
34	LOCKING COUPLING	16-02-001
35	ADAPTER COUPLING	16-02-002
36	RING LANDING	16-02-003
37	OUTER TUBE 1.5m / 5 ft	16-02-004
37	OUTER TUBE 3.0m / 10 ft	16-02-005
38	STABILIZER RING	16-02-006
39	THREAD PROTECTOR	16-02-007

N2WL CORE BARREL



KUVAWALA WIRELINE CORE BARRELS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF ' Q ' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-34	N2WL CORE BARREL 3.0m / 10 ft	16-03-250
1-34	N2WL CORE BARREL 1.5m / 5 ft	16-03-260
1-28	N2WL INNER TUBE ASSEMBLY	16-03-270
1-24	N2WL HEAD ASSEMBLY	16-03-280
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	16-03-004
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	16-04-001
7	SPRING DOWELL 1/2" x 2" - 2 NOS.	16-03-007
8	LATCH SPRING	16-03-008
9	NWL LATCH - 2 NOS.	16-04-002
10	SOLID DOWELL 1/2" x 1 1/2"	16-03-010
11	BODY LATCH	16-05-001
12	ADJUSTING HEX NUT	16-03-017
13	ADJUSTING SPINDLE	16-03-018
14	SHUT OFF VALVE - 2 NOS.	16-03-019
15	WASHER - 2 NOS.	16-03-020
16	THRUST BEARING	16-03-021
17	BEARING COVER	16-03-022
18	BEARING SPINDLE	16-03-023
19	GREASE FITTING	16-03-024
20	THRUST BEARING	16-03-025
21	COMPRESSION SPRING	16-03-026
22	NYLOCK NUT, 3/4" UNC	16-03-027
23	INNER TUBE CAP ASSEMBLY	16-05-002
24	GREASE FITTING	16-03-024
25	INNER TUBE 1.5m / 5 ft	16-05-003
25	INNER TUBE 3.0m / 10 ft	16-05-004
26	RING STOP	16-05-005
27	CORE LIFTER	16-05-006
28	CORE LIFTER CASE	16-05-007
29	LOCKING COUPLING	16-02-001
30	ADAPTER COUPLING	16-02-002
31	RING LANDING	16-05-008
32	OUTER TUBE 1.5m / 5 ft	16-02-004
32	OUTER TUBE 3.0m / 10 ft	16-02-005
33	STABILIZER RING	16-05-009
34	THREAD PROTECTOR	16-02-007


Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141

Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com


N3WL CORE BARREL



KUVAWALA WIRELINE CORE BARRELS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF ' Q ' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-39	N3WL CORE BARREL 3.0m / 10 ft	16-00-300
1-39	N3WL CORE BARREL 1.5m / 5 ft	16-00-310
1-28	N3WL INNER TUBE ASSEMBLY	16-00-320
1-24	N3WL HEAD ASSEMBLY	16-00-330
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	16-03-004
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	16-04-001
7	SPRING DOWELL 1/2" x 2" - 2 NOS.	16-03-007
8	LATCH SPRING	16-03-008
9	NWL LATCH - 2 NOS.	16-04-002
10	SOLID DOWELL 1/2" x 1 1/2"	16-03-010
11	BODY LATCH	16-04-003
12	ADJUSTING HEX NUT	16-03-017
13	ADJUSTING SPINDLE	16-03-018
14	SHUT OFF VALVE - 2 NOS.	16-03-019
15	WASHER - 2 NOS.	16-03-020
16	THRUST BEARING	16-03-021
17	BEARING COVER	16-03-022
18	BEARING SPINDLE	16-03-023
19	GREASE FITTING	16-03-024
20	THRUST BEARING	16-03-025
21	COMPRESSION SPRING	16-03-026
22	NYLOCK NUT , 3/4" UNC	16-03-027
23	INNER TUBE CAP ASSEMBLY	16-03-028
24	GREASE FITTING	16-03-024
25	INNER TUBE 1.5m / 5 ft	16-03-029
25	INNER TUBE 3.0m/ 10 ft	16-03-030
26	RING STOP	16-03-031
27	CORE LIFTER	16-03-032
28	CORE LIFTER CASE	16-03-033
29	LOCKING COUPLING	16-02-001
30	ADAPTER COUPLING	16-02-002
31	RING LANDING	16-02-003
32	OUTER TUBE 1.5m / 5 ft	16-02-004
32	OUTER TUBE 3.0m/ 10 ft	16-02-005
33	STABILIZER RING	16-04-011
34	THREAD PROTECTOR	16-02-007
35	PISTON PLUG	17-04-001
36	O RING	17-04-002
37	CORE EJECTION PISTON	17-04-003
38	SPLIT TUBE 1.5m / 5ft	17-04-004
38	SPLIT TUBE 3.0m / 10 ft	17-04-005
39	PUMP OUT ADAPTOR 1/4" NPT	17-04-006


N3WL-LI CORE BARREL



KUVAWALA 'LI' WIRELINE CORE BARRELS WITH LANDING INDICATOR ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-44	N3WL-LI CORE BARREL 3.0m / 10 ft	17-00-100
1-44	N3WL-LI CORE BARREL 1.5m / 5 ft	17-00-110
1-33	N3WL-LI INNER TUBE ASSEMBLY	17-00-120
1-29	NWL-LI HEAD ASSEMBLY	16-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	16-03-004
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	16-03-006
7	SPRING DOWELL 1/2" x 2" - 2 NOS.	16-03-007
8	LATCH SPRING	16-03-008
9	NWL-LI LATCH - 2 NOS.	16-03-009
10	SOLID DOWELL 1/2" x 1 1/2"	16-03-010
11	UPPER BODY LATCH	16-03-011
12	LANDING SHOULDER	16-03-012
13	LOWER BODY LATCH	16-03-013
14	STAINLESS STEEL BALL 22 mm	16-03-014
15	LANDING INDICATOR BUSH	16-03-015
16	LANDING INDICATOR BUSH O RING	16-03-016
17	ADJUSTING HEX NUT	16-03-017
18	ADJUSTING SPINDLE	16-03-018
19	SHUT OFF VALVE - 2 NOS.	16-03-019
20	WASHER - 2 NOS.	16-03-020
21	THRUST BEARING	16-03-021
22	BEARING COVER	16-03-022
23	BEARING SPINDLE	16-03-023
24	GREASE FITTING	16-03-024
25	THRUST BEARING	16-03-025
26	COMPRESSION SPRING	16-03-026
27	NYLOCK NUT, 3/4" UNC	16-03-027
28	INNER TUBE CAP ASSEMBLY	16-03-028
29	GREASE FITTING	16-03-024
30	INNER TUBE 1.5m / 5 ft	16-03-029
30	INNER TUBE 3.0m / 10 ft	16-03-030
31	RING STOP 3T	17-03-031
32	CORE LIFTER 3T	17-03-032
33	CORE LIFTER CASE 3T	17-03-033
34	LOCKING COUPLING	16-02-001
35	ADAPTER COUPLING	16-02-002
36	RING LANDING	16-02-003
37	OUTER TUBE 1.5m / 5 ft	16-02-004
37	OUTER TUBE 3.0m / 10 ft	16-02-005
38	STABILIZER RING	16-02-006
39	THREAD PROTECTOR	16-02-007
40	PISTON PLUG	17-04-001
41	O RING	17-04-002
42	CORE EJECTION PISTON	17-04-003
43	SPLIT TUBE 1.5m / 5ft	17-04-004
43	SPLIT TUBE 3.0m / 10 ft	17-04-005
44	PUMP OUT ADAPTOR 1/4" NPT	17-04-006

HWL CORE BARREL



KUVAWALA WIRELINE CORE BARRELS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-34	HWL CORE BARREL 3.0m / 10 ft	18-00-100
1-34	HWL CORE BARREL 1.5m / 5 ft	18-00-110
1-28	HWL INNER TUBE ASSEMBLY	18-00-120
1-24	HWL HEAD ASSEMBLY	18-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	18-03-001
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	18-04-001
7	SPRING DOWELL 1/2" x 2 3/4" - 2 NOS.	18-03-003
8	LATCH SPRING	18-03-004
9	HWL LATCH - 2 NOS.	18-04-002
10	SOLID DOWELL 1/2" x 2 1/8"	18-03-006
11	BODY LATCH	18-04-003
12	ADJUSTING HEX NUT	18-03-010
13	ADJUSTING SPINDLE	18-03-011
14	SHUT OFF VALVE - 2 NOS.	18-03-012
15	WASHER - 2 NOS.	18-03-013
16	THRUST BEARINGS - 2 NOS.	18-03-014
17	BEARING COVER	18-03-015
18	BEARING SPINDLE	18-03-016
19	GREASE FITTING	16-03-024
20	THRUST BEARING - 1 NO.	18-03-017
21	COMPRESSION SPRING	18-03-018
22	NYLOCK NUT , 1" UNC	18-03-019
23	INNER TUBE CAP ASSEMBLY	18-03-020
23A	INNER TUBE CAP	18-03-021
23B	STAINLESS STEEL BALL , 22 mm	16-03-014
23C	CHECK VALVE BODY	18-03-022
24	GREASE FITTING	16-03-024
25	INNER TUBE 1.5m / 5 ft	18-03-023
25	INNER TUBE 3.0m/ 10 ft	18-03-024
26	RING STOP	18-03-025
27	CORE LIFTER	18-03-026
28	CORE LIFTER CASE	18-03-027
29	LOCKING COUPLING	18-02-001
30	ADAPTER COUPLING	18-02-002
31	RING LANDING	18-02-003
32	OUTER TUBE 1.5m / 5 ft	18-02-004
32	OUTER TUBE 3.0m/ 10 ft	18-02-005
33	STABILIZER RING	18-02-006
34	THREAD PROTECTOR	18-02-007


Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141

Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com

HWL-LI CORE BARREL



KUVAWALA WIRELINE CORE BARRELS WITH LANDING INDICATOR ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF ' Q ' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-39	HWL-LI CORE BARREL 3.0m / 10 ft	18-00-100
1-39	HWL-LI CORE BARREL 1.5m / 5 ft	18-00-110
1-33	HWL-LI INNER TUBE ASSEMBLY	18-00-120
1-29	HWL-LI HEAD ASSEMBLY	18-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	18-03-001
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	18-03-002
7	SPRING DOWELL 1/2" x 2 3/4" - 2 NOS.	18-03-003
8	LATCH SPRING	18-03-004
9	HWL-LI LATCH - 2 NOS.	18-03-005
10	SOLID DOWELL 1/2" x 2 1/8"	18-03-006
11	UPPER BODY LATCH	18-03-007
12	LANDING SHOULDER	18-03-008
13	LOWER BODY LATCH	18-03-009
14	STAINLESS STEEL BALL 22 mm	16-03-014
15	LANDING INDICATOR BUSH	16-03-015
16	LANDING INDICATOR BUSH O RING	16-03-016
17	ADJUSTING HEX NUT	18-03-010
18	ADJUSTING SPINDLE	18-03-011
19	SHUT OFF VALVE - 2 NOS.	18-03-012
20	WASHER - 2 NOS.	18-03-013
21	THRUST BEARINGS - 2 NOS.	18-03-014
22	BEARING COVER	18-03-015
23	BEARING SPINDLE	18-03-016
24	GREASE FITTING	16-03-024
25	THRUST BEARING - 1 NO.	18-03-017
26	COMPRESSION SPRING	18-03-018
27	NYLOCK NUT , 1" UNC	18-03-019
28	INNER TUBE CAP ASSEMBLY	18-03-020
28A	INNER TUBE CAP	18-03-021
28B	STAINLESS STEEL BALL , 22 mm	16-03-014
28C	CHECK VALVE BODY	18-03-022
29	GREASE FITTING	16-03-024
30	INNER TUBE 1.5m / 5 ft	18-03-023
30	INNER TUBE 3.0m / 10 ft	18-03-024
31	RING STOP	18-03-025
32	CORE LIFTER	18-03-026
33	CORE LIFTER CASE	18-03-027
34	LOCKING COUPLING	18-02-001
35	ADAPTER COUPLING	18-02-002
36	RING LANDING	18-02-003
37	OUTER TUBE 1.5m / 5 ft	18-02-004
37	OUTER TUBE 3.0m / 10 ft	18-02-005
38	STABILIZER RING	18-02-006
39	THREAD PROTECTOR	18-02-007


Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141

Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com


H3WL CORE BARREL



KUVAWALA WIRELINE CORE BARRELS ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-39	H3WL CORE BARREL 3.0m / 10 ft	18-00-150
1-39	H3WL CORE BARREL 1.5m / 5 ft	18-00-160
1-28	H3WL INNER TUBE ASSEMBLY	18-00-170
1-24	HWL HEAD ASSEMBLY	18-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	18-03-001
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	18-04-001
7	SPRING DOWELL 1/2" x 2 3/4" - 2 NOS.	18-03-003
8	LATCH SPRING	18-03-004
9	HWL LATCH - 2 NOS.	18-04-002
10	SOLID DOWELL 1/2" x 2 1/8"	18-03-006
11	BODY LATCH	18-04-003
12	ADJUSTING HEX NUT	18-03-010
13	ADJUSTING SPINDLE	18-03-011
14	SHUT OFF VALVE - 2 NOS.	18-03-012
15	WASHER - 2 NOS.	18-03-013
16	THRUST BEARINGS - 2 NOS.	18-03-014
17	BEARING COVER	18-03-015
18	BEARING SPINDLE	18-03-016
19	GREASE FITTING	16-03-024
20	THRUST BEARING - 1 NO.	18-03-017
21	COMPRESSION SPRING	18-03-018
22	NYLOCK NUT, 1" UNC	18-03-019
23	INNER TUBE CAP ASSEMBLY	18-03-020
23A	INNER TUBE CAP	18-03-021
23B	STAINLESS STEEL BALL, 22 mm	16-03-014
23C	CHECK VALVE BODY	18-03-022
24	GREASE FITTING	16-03-024
25	INNER TUBE 1.5m / 5 ft	18-03-023
25	INNER TUBE 3.0m / 10 ft	18-03-024
26	RING STOP	18-03-025
27	CORE LIFTER	18-03-026
28	CORE LIFTER CASE	18-03-027
29	LOCKING COUPLING	18-02-001
30	ADAPTER COUPLING	18-02-002
31	RING LANDING	18-02-003
32	OUTER TUBE 1.5m / 5 ft	18-02-004
32	OUTER TUBE 3.0m / 10 ft	18-02-005
33	STABILIZER RING	18-02-006
34	THREAD PROTECTOR	18-02-007
35	PISTON PLUG	18-05-001
36	O RING	18-05-002
37	CORE EJECTION PISTON	18-05-003
38	SPLIT TUBE 1.5m / 5ft	18-05-004
38	SPLIT TUBE 3.0m / 10 ft	18-05-005
39	PUMP OUT ADAPTOR 1/4" NPT	18-05-006


H3WL-LI CORE BARREL



KUVAWALA 'LI' WIRELINE CORE BARRELS WITH LANDING INDICATOR ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-44	H3WL-LI CORE BARREL 3.0m / 10 ft	18-00-250
1-44	H3WL-LI CORE BARREL 1.5m / 5 ft	18-00-260
1-35	H3WL-LI INNER TUBE ASSEMBLY	18-00-270
1-28	HWL-LI HEAD ASSEMBLY	18-00-230
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	18-03-001
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	18-03-002
7	SPRING DOWELL 1/2" x 2 3/4" - 2 NOS.	18-03-003
8	LATCH SPRING	18-03-004
9	HWL-LI LATCH - 2 NOS.	18-03-005
10	SOLID DOWELL 1/2" x 2 1/8"	18-03-006
11	UPPER BODY LATCH	18-03-007
12	LANDING SHOULDER	18-03-008
13	LOWER BODY LATCH	18-03-009
14	STAINLESS STEEL BALL 22 mm	16-03-014
15	LANDING INDICATOR BUSH	16-03-015
16	LANDING INDICATOR BUSH O RING	16-03-016
17	ADJUSTING HEX NUT	18-03-010
18	ADJUSTING SPINDLE	18-03-011
19	SHUT OFF VALVE - 2 NOS.	18-03-012
20	WASHER - 2 NOS.	18-03-013
21	THRUST BEARINGS - 2 NOS.	18-03-014
22	BEARING COVER	18-03-015
23	BEARING SPINDLE	18-03-016
24	GREASE FITTING	16-03-024
25	THRUST BEARING - 1 NOS.	18-03-017
26	COMPRESSION SPRING	18-03-018
27	NYLOCK NUT, 1" UNC	18-03-019
28	INNER TUBE CAP ASSEMBLY	18-03-020
28A	INNER TUBE CAP	18-03-021
28B	CHECK VALVE BODY	18-03-022
28C	STAINLESS STEEL BALL, 22 mm	16-03-014
29	GREASE FITTING	16-03-024
30	INNER TUBE 1.5m / 5 ft	18-03-023
30	INNER TUBE 3.0m / 10 ft	18-03-024
31	RING STOP 3T	19-03-025
32	CORE LIFTER 3T	19-03-026
33	CORE LIFTER CASE 3T	19-03-027
34	LOCKING COUPLING	18-02-001
35	ADAPTER COUPLING	18-02-002
36	RING LANDING	18-02-003
37	OUTER TUBE 1.5m / 5 ft	18-02-004
37	OUTER TUBE 3.0m / 10 ft	18-02-005
38	STABILIZER RING	18-02-006
39	THREAD PROTECTOR	18-02-007
40	PISTON PLUG	18-05-001
41	O RING	18-05-002
42	CORE EJECTION PISTON	18-05-003
43	SPLIT TUBE 1.5m / 5ft	18-05-004
43	SPLIT TUBE 3.0m / 10 ft	18-05-005
44	PUMP OUT ADAPTOR 1/2" NPT	18-05-006

PWL-LI CORE BARREL



KUVAWALA 'LI' WIRELINE CORE BARRELS WITH LANDING INDICATOR ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-38	PWL-LI CORE BARREL 3.0m / 10 ft	20-00-100
1-38	PWL-LI CORE BARREL 1.5m / 5 ft	20-00-110
1-32	PWL-LI INNER TUBE ASSEMBLY	20-00-120
1-28	PWL-LI HEAD ASSEMBLY	20-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	18-03-001
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	20-03-001
7	SPRING DOWELL 1/2" x 2 3/4" - 2 NOS.	18-03-003
8	LATCH SPRING	18-03-004
9	PWL-LI LATCH - 2 NOS.	20-03-002
10	SOLID DOWELL 1/2" x 2 1/8"	18-03-006
11	UPPER BODY LATCH	18-03-007
12	LANDING SHOULDER	20-03-003
13	LOWER BODY LATCH	18-03-009
14	STAINLESS STEEL BALL 22 mm	16-03-014
15	LANDING INDICATOR BUSH	16-03-015
16	LANDING INDICATOR BUSH O RING	16-03-016
17	ADJUSTING HEX NUT	20-03-004
18	ADJUSTING SPINDLE	20-03-005
19	WASHER - 2 NOS.	20-03-006
20	SHUT OFF VALVE - 2 NOS.	20-03-007
21	TAPER WASHER	20-03-008
22	THRUST BEARINGS - 3 NOS.	20-03-009
23	BEARING SPINDLE	20-03-010
24	GREASE FITTING	16-03-024
25	COMPRESSION SPRING	20-03-011
26	COMPRESSION SPRING WASHER	20-03-012
27	NYLOCK NUT , 1 1/4" UNC	20-03-013
28	INNER TUBE CAP ASSEMBLY	20-03-014
28A	INNER TUBE CAP	20-03-015
28B	CHECK VALVE BODY	20-03-016
28C	BRASS BUSHING	20-03-017
28D	STAINLESS STEEL BALL , 22 mm	16-03-014
28E	SPRING DOWELL 3/16" x 1 1/4"	20-03-018
29	INNER TUBE 1.5m / 5 ft	20-03-019
29	INNER TUBE 3.0m / 10 ft	20-03-020
30	RING STOP	20-03-021
31	CORE LIFTER	20-03-022
32	CORE LIFTER CASE	20-03-023
33	LOCKING COUPLING	20-02-001
34	ADAPTER COUPLING	20-02-002
35	RING LANDING	20-02-003
36	OUTER TUBE 1.5m / 5 ft	20-02-004
36	OUTER TUBE 3.0m / 10 ft	20-02-005
37	STABILIZER RING	20-02-006
38	THREAD PROTECTOR	20-02-007


Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141

Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com

P3WL-LI CORE BARREL



KUVAWALA 'LI' WIRELINE CORE BARRELS WITH LANDING INDICATOR ARE COMPLETELY INTERCHANGEABLE WITH CORRESPONDING SIZES OF 'Q' SERIES WIRELINE CORE BARRELS

	ITEM DESCRIPTION	PART NUMBERS
1-43	P3WL-LI CORE BARREL 3.0m / 10 ft	21-00-100
1-43	P3WL-LI CORE BARREL 1.5m / 5 ft	21-00-110
1-35	P3WL-LI INNER TUBE ASSEMBLY	21-00-120
1-28	PWL-LI HEAD ASSEMBLY	20-00-130
1	SPEARHEAD POINT	16-03-001
2	COMPRESSION SPRING	16-03-002
3	DETENT PLUNGER	16-03-003
4	POINT BODY	18-03-001
5	SOLID DOWELL 7/16" x 1"	16-03-005
6	CASE LATCH	20-03-001
7	SPRING DOWELL 1/2" x 2 3/4" - 2 NOS.	18-03-003
8	LATCH SPRING	18-03-004
9	PWL-LI LATCH - 2 NOS.	20-03-002
10	SOLID DOWELL 1/2" x 2 1/8"	18-03-006
11	UPPER BODY LATCH	18-03-007
12	LANDING SHOULDER	20-03-003
13	LOWER BODY LATCH	18-03-009
14	STAINLESS STEEL BALL 22 mm	16-03-014
15	LANDING INDICATOR BUSH	16-03-015
16	LANDING INDICATOR BUSH O RING	16-03-016
17	ADJUSTING HEX NUT	20-03-004
18	ADJUSTING SPINDLE	20-03-005
19	WASHER - 2 NOS.	20-03-006
20	SHUT OFF VALVE - 2 NOS.	20-03-007
21	TAPER WASHER	20-03-008
22	THRUST BEARINGS - 3 NOS.	20-03-009
23	BEARING SPINDLE	20-03-010
24	GREASE FITTING	16-03-024
25	COMPRESSION SPRING	20-03-011
26	COMPRESSION SPRING WASHER	20-03-012
27	NYLOCK NUT, 1 1/4" UNC	20-03-013
28	INNER TUBE CAP ASSEMBLY	20-03-014
28A	INNER TUBE CAP	20-03-015
28B	CHECK VALVE BODY	20-03-016
28C	BRASS BUSHING	20-03-017
28D	STAINLESS STEEL BALL, 22 mm	16-03-014
28E	SPRING DOWELL 3/16" x 1 1/4"	20-03-018
29	INNER TUBE 1.5m / 5 ft	20-03-019
29	INNER TUBE 3.0m / 10 ft	20-03-020
30	RING STOP 3T	21-03-021
31	CORE LIFTER 3T	21-03-022
32	CORE LIFTER CASE 3T	21-03-023
33	LOCKING COUPLING	20-02-001
34	ADAPTER COUPLING	20-02-002
35	RING LANDING	20-02-003
36	OUTER TUBE 1.5m / 5 ft	20-02-004
36	OUTER TUBE 3.0m / 10 ft	20-02-005
37	STABILIZER RING	20-02-006
38	THREAD PROTECTOR	20-02-007
39	PISTON PLUG	21-04-001
40	O RING	21-04-002
41	CORE EJECTION PISTON	21-04-003
42	SPLIT TUBE 1.5m / 5ft	21-04-004
42	SPLIT TUBE 3.0m / 10 ft	21-04-005
43	PUMP OUT ADAPTOR 1/2" NPT	21-04-006

Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141


Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com

OVERSHOTS


- ❖ AWL COMPACT OVERSHOT
- ❖ BWL COMPACT OVERSHOT
- ❖ NWL COMPACT OVERSHOT
- ❖ NWL LOCKING OVERSHOT
- ❖ HWL COMPACT OVERSHOT
- ❖ HWL LOCKING OVERSHOT
- ❖ PWL COMPACT OVERSHOT
- ❖ PWL LOCKING OVERSHOT

AWL COMPACT OVERSHOT




	ITEM DESCRIPTION	PART NUMBERS
1-18	AWL OVERSHOT ASSEMBLY	22-00-100
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARING – 2 NOS	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	22-00-001
8	JAR TUBE	22-00-002
9	JAR STAFF	22-00-003
10	NYLOCK NUT , 3/8” UNC	22-00-004
11	JAR HEAD	22-00-005
12	OVERSHOT HEAD COUPLING	22-00-006
13	OVERSHOT HEAD	22-00-007
14	LOCKING SLEEVE	22-00-008
15	COMPRESSION SPRING 5/16” X 11/4 “	22-00-009
16	LIFTING DOG – 2 NOS	22-00-010
17	PLAIN PIN 3/8” X 1 1/4”	22-00-011
18	SPRING PIN 1/8” X 1 1/4” - 2 NOS	22-00-012

BWL COMPACT OVERSHOT




	ITEM DESCRIPTION	PART NUMBERS
1-20	BWL OVERSHOT ASSEMBLY	24-00-100
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARINGS – 2 NOS.	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	24-00-001
8	JAR STAFF	24-00-002
9	JAR TUBE	24-00-003
10	NYLOCK NUT , 1/2" UNC	24-00-004
11	JAR HEAD	24-00-005
12	HEX NUT , 1/2" UNC	24-00-006
13	SPRING WASHER	24-00-007
14	OVERSHOT HEAD	24-00-008
15	SET SCREW , 1/4" UNF	24-00-009
16	LOCKING SLEEVE	24-00-010
17	LIFTING DOG – 2 NOS.	24-00-011
18	COMPRESSION SPRING 3/8" X 1 1/2"	24-00-012
19	PLAIN PIN 1/2" X 1 15/32"	24-00-013
20	SPRING PIN 1/4" X 1 15/32"	24-00-014

NWL COMPACT OVERSHOT




	ITEM DESCRIPTION	PART NUMBERS
1-18	NWL COMPACT OVERSHOT ASSEMBLY	26-00-150
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARINGS – 2 NOS.	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	26-00-007
8	JAR STAFF	26-00-008
9	JAR TUBE	26-00-009
10	NYLOCK NUT , 1/2" UNC	26-00-010
11	SPRING WASHER	26-00-011
12	COMPRESSION SPRING 3/8" X 1 1/2"	26-00-018
13	LIFTING DOG – 2 NOS.	26-00-019
14	PLAIN PIN 1/2" X 1 15/16"	26-00-020
15	SPRING DOWELL 1/4" X 1 3/4"	26-00-021
16	LOCKING SLEEVE	26-00-024
17	SET SCREW , 1/4" UNF	24-00-009
18	OVERSHOT HEAD	26-00-027

NWL LOCKING OVERSHOT




	ITEM DESCRIPTION	PART NUMBERS
1-24	NWL LOCKING OVERSHOT	26-00-100
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARING	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	26-00-007
8	JAR STAFF	26-00-008
9	JAR TUBE	26-00-009
10	HEX NUT 3/4" UNC	26-00-010
11	WASHER SPRING	26-00-011
12	CAP, LOCKING OVERSHOT	26-00-012
13	SPRING, LOCKING OVERSHOT	26-00-013
14	SLEEVE, LOCKING OVERSHOT	26-00-014
15	COMPRESSION SPRING	26-00-015
16	BALL 11/32"	26-00-016
17	LOCKING OVERSHOT HEAD	26-00-017
18	COMPRESSION SPRING	26-00-018
19	LIFTING DOG	26-00-019
20	PLAIN PIN 1/2" X 1-15/16 "	26-00-020
21	SPRING PIN 1/4" X 1-3/4"	26-00-021
22	LOCKING PIN	26-00-022
23	SET SCREW, UNF X 3/4"	26-00-023
24	LOCKING SLEEVE	26-00-024

HWL COMPACT OVERSHOT




	ITEM DESCRIPTION	PART NUMBERS
1-19	HWL COMPACT OVERSHOT ASSEMBLY	26-00-250
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARINGS – 2 NOS.	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	26-00-007
8	JAR STAFF	26-00-008
9	JAR TUBE	26-00-009
10	NYLOCK NUT , 1/2" UNC	26-00-010
11	SPRING WASHER	26-00-011
12	COMPRESSION SPRING 3/8" X 1 1/2"	26-00-018
13	LIFTING DOG – 2 NOS.	26-00-019
14	PLAIN PIN 1/2" X 1 15/16"	26-00-020
15	SPRING DOWELL 1/4" X 1-3/4"	26-00-021
16	LOCKING SLEEVE	26-00-024
17	SET SCREW , 1/4" UNF	24-00-009
18	OVERSHOT HEAD	26-00-027
19	ADAPTOR	26-00-025

HWL LOCKING OVERSHOT




	ITEM DESCRIPTION	PART NUMBERS
1-25	HWL LOCKING OVERSHOT	26-00-200
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARING	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	26-00-007
8	JAR STAFF	26-00-008
9	JAR TUBE	26-00-009
10	HEX NUT 3/4" UNC	26-00-010
11	WASHER SPRING	26-00-011
12	CAP, LOCKING OVERSHOT	26-00-012
13	SPRING, LOCKING OVERSHOT	26-00-013
14	SLEEVE, LOCKING OVERSHOT	26-00-014
15	COMPRESSION SPRING	26-00-015
16	BALL 11/32" - 2 NOS.	26-00-016
17	LOCKING OVERSHOT HEAD	26-00-017
18	COMPRESSION SPRING	26-00-018
19	LIFTING DOG	26-00-019
20	PLAIN PIN 1/2" X 1-15/16"	26-00-020
21	SPRING PIN 1/4" X 1-3/4"	26-00-021
22	LOCKING PIN	26-00-022
23	SET SCREW, UNF X 3/4"	26-00-023
24	LOCKING SLEEVE	26-00-024
25	ADAPTOR	26-00-025

PWL COMPACT OVERSHOT



	ITEM DESCRIPTION	PART NUMBERS
1-19	PWL COMPACT OVERSHOT ASSEMBLY	26-00-350
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARINGS – 2 NOS.	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	26-00-007
8	JAR STAFF	26-00-008
9	JAR TUBE	26-00-009
10	NYLOCK NUT , 1/2" UNC	26-00-010
11	SPRING WASHER	26-00-011
12	COMPRESSION SPRING 3/8" X 1 1/2"	26-00-018
13	LIFTING DOG – 2 NOS.	26-00-019
14	PLAIN PIN 1/2" X 1 15/16"	26-00-020
15	SPRING DOWELL 1/4" X 1-3/4"	26-00-021
16	LOCKING SLEEVE	26-00-024
17	SET SCREW , 1/4" UNF	24-00-009
18	OVERSHOT HEAD	26-00-027
19	ADAPTOR	26-00-026

PWL LOCKING OVERSHOT



	ITEM DESCRIPTION	PART NUMBERS
1-25	PWL LOCKING OVERSHOT	26-00-300
1	EYE BOLT	26-00-001
2	CABLE SWIVEL COLLAR	26-00-002
3	BRASS BEARING	26-00-003
4	CASTLE NUT	26-00-004
5	COTTER PIN	26-00-005
6	GREASE FITTING	16-03-024
7	CABLE SWIVEL BODY	26-00-007
8	JAR STAFF	26-00-008
9	JAR TUBE	26-00-009
10	HEX NUT 3/4" UNC	26-00-010
11	WASHER SPRING	26-00-011
12	CAP, LOCKING OVERSHOT	26-00-012
13	SPRING, LOCKING OVERSHOT	26-00-013
14	SLEEVE, LOCKING OVERSHOT	26-00-014
15	COMPRESSION SPRING	26-00-015
16	BALL 11/32" - 2 NOS.	26-00-016
17	LOCKING OVERSHOT HEAD	26-00-017
18	COMPRESSION SPRING	26-00-018
19	LIFTING DOG	26-00-019
20	PLAIN PIN 1/2" X 1-15/16"	26-00-020
21	SPRING PIN 1/4" X 1-3/4"	26-00-021
22	LOCKING PIN	26-00-022
23	SET SCREW, UNF X 3/4"	26-00-023
24	LOCKING SLEEVE	26-00-024
25	ADAPTOR	26-00-026

CONVENTIONAL DRILL RODS

- ❖ 'W' SERIES DRILL RODS
- ❖ 'WJ' SERIES DRILL RODS
- ❖ 'WY' SERIES DRILL RODS



W SERIES DRILL RODS



SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AW	0.5	44	31.4	3	3.7	K7-01-001
AW	1	44	31.4	3	6.6	K7-01-002
AW	1.5	44	31.4	3	9.6	K7-01-003
AW	3	44	31.4	3	18.4	K7-01-004
BW	0.5	54	38	3	6.0	K7-02-001
BW	1	54	38	3	10.6	K7-02-002
BW	1.5	54	38	3	15.1	K7-02-003
BW	3	54	38	3	28.7	K7-02-004
NW	0.5	66.7	51	3	7.6	K7-03-001
NW	1	66.7	51	3	13.3	K7-03-002
NW	1.5	66.7	51	3	19.0	K7-03-003
NW	3	66.7	51	3	36.0	K7-03-004
HW	0.5	88.9	71.5	3	11.2	K7-04-001
HW	1	88.9	71.5	3	19.9	K7-04-002
HW	1.5	88.9	71.5	3	28.5	K7-04-003
HW	3	88.9	71.5	3	54.6	K7-04-004

ALL KUVAWALA DRILL RODS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 . ALL DRILL RODS ARE PARALLEL WALL

STANDARD ' W ' SERIES DRILL RODS ARE FLUSH COUPLED AND A COUPLING IS SUPPLIED WITH EACH ROD LENGTH. COUPLINGS ARE MADE OF HEAT TREATED ALLOY STEEL.

WEIGHTS GIVEN ABOVE ARE INCLUSIVE OF COUPLING WEIGHT.



WJ SERIES DRILL RODS



SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AWJ	0.5	44.4	34.9	5	3.7	K8-01-001
AWJ	1	44.4	34.9	5	6.6	K8-01-002
AWJ	1.5	44.4	34.9	5	9.6	K8-01-003
AWJ	3	44.4	34.9	5	18.4	K8-01-004
BWJ	0.5	54	44.4	5	6.0	K8-02-001
BWJ	1	54	44.4	5	10.6	K8-02-002
BWJ	1.5	54	44.4	5	15.1	K8-02-003
BWJ	3	54	44.4	5	28.7	K8-02-004
NWJ	0.5	66.6	57	4	5.6	K8-03-001
NWJ	1	66.6	57	4	11.3	K8-03-002
NWJ	1.5	66.6	57	4	17.0	K8-03-003
NWJ	3	66.6	57	4	31.0	K8-03-004

ALL KUVAWALA DRILL RODS ARE MANUFACTURED FROM SEAMLESS CARBON STEEL TUBES , WHICH HAVE EXTREMELY HIGH MECHANICAL PROPERTIES. THE STRAIGHTNESS OF THE TUBES ARE BETTER THAN 1 IN 2000 MM.

THE COUPLERS ARE MANUFACTURED FROM HIGH ALLOY STEEL AND ARE HEAT TREATED IN ORDER TO ATTAIN VERY HIGH MECHANICAL PROPERTIES AND WEAR RESISTANCE.

THE COUPLERS ARE JOINED TO THE PIPE USING KUVAWALA'S PROPRIETARY METHOD, WHICH ENABLES THE COUPLERS TO RUN DEAD THROUGH WITH THE PIPE . THE WELDING IS CARRIED OUT IN A CONTROLLED ENVIRONMENT TO GIVE MAXIMUM STRENGTH.

UNLIKE FRICTION WELDED DRILL RODS WHICH ARE PRONE TO BREAKAGE, DUE TO EXCESSIVE HARDNESS WHICH HAPPENS WHILE FRICTION WELDING AT THE JOINT.

CONVENTIONAL CORE BARRELS

❖ BRITISH STANDARD CORE BARRELS

WM SERIES CORE BARRELS

WG SERIES CORE BARRELS

WT SERIES CORE BARRELS

WF SERIES CORE BARRELS

❖ SWEDISH STANDARD CORE BARRELS

T2 SERIES CORE BARRELS

T6 SERIES CORE BARRELS


❖ TRIPLE TUBE CORE BARRELS

NMLC CORE BARREL

HMLC CORE BARREL

NWMA CORE BARREL

AXM / AWM CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-15	AWM CORE BARREL ASSEMBLY 3.0 M	70-00-100
1-15	AWM CORE BARREL ASSEMBLY 1.5 M	70-00-110
1-9	AWM HEAD ASSEMBLY	70-00-200
01	HEAD	70-01-001
02	SPINDLE	70-01-002
03	SPRING DOWELL	70-01-003
04	RUBBER SPACER	70-01-004
05	SPACER BUSH	70-01-005
06	THRUST BEARING	70-01-006
07	BEARING SPINDLE	70-01-007
08	THRUST BEARING	70-01-008
09	HEX NUT	70-01-009
10	INNER TUBE	70-03-001
10	INNER TUBE	70-03-002
11	CORE LIFTER	70-03-003
12	CORE LIFTER CASE	70-03-004
13	OUTER TUBE	70-02-001
13	OUTER TUBE	70-02-002
14	BLANK REAMING SHELL	70-02-003
15	BIT BLANK	70-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

BWM CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-16	BWM CORE BARREL ASSEMBLY 3.0 M	72-00-100
1-16	BWM CORE BARREL ASSEMBLY 1.5 M	72-00-110
1-11	BWM HEAD ASSEMBLY	60-00-200
01	HEAD	60-01-001
02	SPINDLE	60-01-002
03	SPRING DOWELL	60-01-003
04	RUBBER SPACER	60-01-004
05	THRUST BEARING	60-01-005
06	BEARING COVER	60-01-006
07	BEARING SPINDLE	60-01-007
08	THRUST BEARING	60-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	60-01-009
11	COTTER PIN	60-01-010
12	INNER TUBE 3.0 M	72-03-001
12	INNER TUBE 1.5 M	72-03-002
13	CORE LIFTER	72-03-003
14	CORE LIFTER CASE	72-03-004
15	OUTER TUBE 3.0 M	72-02-001
15	OUTER TUBE 1.5 M	72-02-002
16	THREAD PROTECTOR	72-02-003

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE

NWM CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-16	NWM CORE BARREL ASSEMBLY 3.0 M	74-00-100
1-16	NWM CORE BARREL ASSEMBLY 1.5 M	74-00-110
1-11	NWM HEAD ASSEMBLY	62-00-200
01	HEAD	62-01-001
02	SPINDLE	62-01-002
03	SPRING DOWELL	62-01-003
04	RUBBER SPACER	62-01-004
05	THRUST BEARING	62-01-005
06	BEARING COVER	62-01-006
07	BEARING SPINDLE	62-01-007
08	THRUST BEARING	62-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	62-01-009
11	COTTER PIN	62-01-010
12	INNER TUBE 3.0 M	74-03-001
12	INNER TUBE 1.5 M	74-03-002
13	CORE LIFTER	74-03-003
14	CORE LIFTER CASE	74-03-004
15	OUTER TUBE 3.0M	74-02-001
15	OUTER TUBE 1.5M	74-02-002
16	THREAD PROTECTOR	74-02-003

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

BWG CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-16	BWG CORE BARREL ASSEMBLY 3.0 M	60-00-100
1-16	BWG CORE BARREL ASSEMBLY 1.5 M	60-00-110
1-11	BWG HEAD ASSEMBLY	60-00-200
01	HEAD	60-01-001
02	SPINDLE	60-01-002
03	SPRING DOWEL	60-01-003
04	RUBBER SPACER	60-01-004
05	THRUST BEARING	60-01-005
06	BEARING COVER	60-01-006
07	BEARING SPINDLE	60-01-007
08	THRUST BEARING	60-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	60-01-009
11	COTTER PIN	60-01-010
12	INNER TUBE 3.0 M	60-03-001
12	INNER TUBE 1.5M	60-03-002
13	CORE LIFTER	60-03-003
14	OUTER TUBE 3.0 M	60-02-001
14	OUTER TUBE 1.5 M	60-02-002
15	BLANK REAMER SHELL	60-02-003
16	BIT BLANK	60-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

NWG CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	NWG CORE BARREL ASSEMBLY 3.0 M	82-00-100
1-17	NWGCORE BARREL ASSEMBLY 1.5 M	82-00-110
1-11	NWG HEAD ASSEMBLY	62-00-200
01	HEAD	62-01-001
02	SPINDLE	62-01-002
03	SPRING DOWELL	62-01-003
04	RUBBER SPACER	62-01-004
05	THRUST BEARING	62-01-005
06	BEARING COVER	62-01-006
07	BEARING SPINDLE	62-01-007
08	THRUST BEARING	62-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	62-01-009
11	COTTER PIN	62-01-010
12	INNER TUBE 1.5 M	82-03-001
12	INNER TUBE 3.0 M	82-03-002
13	INNER TUBE EXTENTION	82-03-003
14	CORE LIFTER	82-03-004
15	OUTER TUBE 1.5 M	82-02-001
15	OUTER TUBE 3.0 M	82-02-002
16	BLANK REAMING SHELL	82-02-003
17	BIT BLANK	82-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

HWG CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1 -19	HWG CORE BARREL ASSEMBLY 3.0 M	64-00-100
1 -19	HWG CORE BARREL ASSEMBLY 1.5 M	64-00-110
1-14	HWG HEAD ASSEMBLY	64-00-200
01	HEAD	64-01-001
02	SPINDLE	64-01-002
03	OIL SEALS - 2 NOS.	64-01-003
04	BEARING HOUSING	64-01-004
05	NUT	64-01-005
06	BALL BEARINGS 6205 - 2NOS.	64-01-006
07	M8 BOLT	64-01-007
08	BEARING HOUSING CAP	64-01-008
09	OIL SEAL	64-01-009
10	GREASE FITTING	16-03-024
11	INNER TUBE CAP	64-01-010
12	SPRING DOWELL	64-01-011
13	CASTLE NUT	64-01-012
14	COTTER PIN	64-01-013
15	INNER TUBE 3.0 M	64-03-001
15	INNER TUBE 1.5 M	64-03-002
16	CORE LIFTER	64-03-003
17	OUTER TUBE 3.0 M	64-02-001
17	OUTER TUBE 1.5 M	64-02-002
18	BLANK REAMING SHELL	64-02-003
19	BIT BLANK	64-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

BWT CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-15	BWT CORE BARREL ASSEMBLY 3.0 M	80-00-100
1-15	BWT CORE BARREL ASSEMBLY 1.5 M	80-00-110
1-11	BWT HEAD ASSEMBLY	60-00-200
01	HEAD	60-01-001
02	SPINDLE	60-01-002
03	SPRING DOWELL	60-01-003
04	RUBBER SPACER	60-01-004
05	THRUST BEARING	60-01-005
06	BEARING COVER	60-01-006
07	BEARING SPINDLE	60-01-007
08	THRUST BEARING	60-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	60-01-009
11	COTTER PIN	60-01-010
12	INNER TUBE 3.0 M	80-03-001
12	INNER TUBE 1.5 M	80-03-002
13	INNER TUBE EXTENSION	80-03-003
14	CORE LIFTER	80-03-004
15	OUTER TUBE 3.0 M	80-02-001
15	OUTER TUBE 1.5M	80-02-002
16	BLANK REAMING SHELL	80-02-003
17	BIT BLANK	80-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

NWT CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	NWT CORE BARREL ASSEMBLY 3.0 M	82-00-100
1-17	NWT CORE BARREL ASSEMBLY 1.5 M	82-00-110
1-11	NWT HEAD ASSEMBLY	62-00-200
01	HEAD	62-01-001
02	SPINDLE	62-01-002
03	SPRING DOWELL	62-01-003
04	RUBBER SPACER	62-01-004
05	THRUST BEARING	62-01-005
06	BEARING COVER	62-01-006
07	BEARING SPINDLE	62-01-007
08	THRUST BEARING	62-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	62-01-009
11	COTTER PIN	62-01-010
12	INNER TUBE 1.5 M	82-03-001
12	INNER TUBE 3.0 M	82-03-002
13	INNER TUBE EXTENTION	82-03-003
14	CORE LIFTER	82-03-004
15	OUTER TUBE 1.5 M	82-02-001
15	OUTER TUBE 3.0 M	82-02-002
16	BLANK REAMING SHELL	82-02-003
17	BIT BLANK	82-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

HWT CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1 -19	HWT CORE BARREL ASSEMBLY 3.0 M	84-00-100
1 -19	HWT CORE BARREL ASSEMBLY 1.5 M	84-00-110
1-14	HWT HEAD ASSEMBLY	64-00-200
01	HEAD	64-01-001
02	SPINDLE	64-01-002
03	OIL SEALS - 2 NOS.	64-01-003
04	BEARING HOUSING	64-01-004
05	NUT	64-01-005
06	BALL BEARINGS 6205 - 2NOS.	64-01-006
07	M8 BOLT	64-01-007
08	BEARING HOUSING CAP	64-01-008
09	OIL SEAL	64-01-009
10	GREASE FITTING	16-03-024
11	INNER TUBE CAP	64-01-010
12	SPRING DOWELL	64-01-011
13	CASTLE NUT	64-01-012
14	COTTER PIN	64-01-013
15	INNER TUBE 3.0 M	84-03-001
15	INNER TUBE 1.5 M	84-03-001
16	CORE LIFTER	84-03-002
17	OUTER TUBE 3.0 M	84-02-001
17	OUTER TUBE 1.5 M	84-02-001
18	BLANK REAMING SHELL	84-02-002
19	BIT BLANK	84-02-003

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

HWF CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1 -20	HWF CORE BARREL ASSEMBLY 3.0 M	90-00-100
1 -20	HWF CORE BARREL ASSEMBLY 1.5 M	90-00-110
1-14	HWF HEAD ASSEMBLY	64-00-200
01	HEAD	64-01-001
02	SPINDLE	64-01-002
03	OIL SEALS - 2 NOS.	64-01-003
04	BEARING HOUSING	64-01-004
05	NUT	64-01-005
06	BALL BEARINGS 6205 - 2NOS.	64-01-006
07	M8 BOLT	64-01-007
08	BEARING HOUSING CAP	64-01-008
09	OIL SEAL	64-01-009
10	GREASE FITTING	16-03-024
11	INNER TUBE CAP	90-01-001
12	SPRING DOWELL	64-01-011
13	CASTLE NUT	64-01-012
14	COTTER PIN	64-01-013
15	INNER TUBE 3.0 M	90-03-001
15	INNER TUBE 1.5 M	90-03-002
16	INNER TUBE EXTENTION	90-03-003
17	CORE LIFTER	90-03-004
18	CORE LIFTER CASE	90-03-005
19	OUTER TUBE 3.0 M	90-02-001
19	OUTER TUBE 1.5 M	90-02-002
20	THREAD PROTECTOR	90-02-003

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

66 – T2 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-18	66 – T2 CORE BARREL ASSEMBLY 3.0 M	50-00-100
1-18	66 – T2 CORE BARREL ASSEMBLY 1.5 M	50-00-110
1-11	66 – T2 HEAD ASSEMBLY	50-00-200
01	HEAD	50-01-001
02	SPINDLE	50-01-002
03	SPRING DOWELL	50-01-003
04	OIL SEAL	50-01-004
05	BEARING HOUSING	50-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	50-01-006
07	WASHER	50-01-007
08	O - RING	50-01-008
09	CASTLE NUT	50-01-009
10	COTTER PIN	50-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	50-03-001
12	INNER TUBE 1.5 M	50-03-002
13	INNER TUBE EXTENTION	50-03-003
14	CORE LIFTER	50-03-004
15	CORE LIFTER CASE	50-03-005
16	OUTER TUBE 3.0 M	50-02-001
16	OUTER TUBE 1.5 M	50-02-002
17	BLANK REAMING SHELL	50-02-003
18	BIT BLANK	50-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

76 – T2 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-18	76 – T2 CORE BARREL ASSEMBLY 3.0 M	52-00-100
1-18	76 – T2 CORE BARREL ASSEMBLY 1.5 M	52-00-110
1-11	76 – T2 HEAD ASSEMBLY	52-00-200
01	HEAD	52-01-001
02	SPINDLE	52-01-002
03	SPRING DOWELL	52-01-003
04	O - RING	52-01-004
05	BEARING HOUSING	52-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	52-01-006
07	WASHER	52-01-007
08	O - RING	52-01-008
09	CASTLE NUT	52-01-009
10	COTTER PIN	52-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	52-03-001
12	INNER TUBE 1.5 M	52-03-002
13	INNER TUBE EXTENTION	52-03-003
14	CORE LIFTER	52-03-004
15	CORE LIFTER CASE	52-03-005
16	OUTER TUBE 3.0 M	52-02-001
16	OUTER TUBE 1.5 M	52-02-002
17	BLANK REAMING SHELL	52-02-003
18	BIT BLANK	52-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

86 – T2 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-18	86 – T2 CORE BARREL ASSEMBLY 3.0 M	54-00-100
1-18	86 – T2 CORE BARREL ASSEMBLY 1.5 M	54-00-110
1-11	86 – T2 HEAD ASSEMBLY	54-00-200
01	HEAD	54-01-001
02	SPINDLE	54-01-002
03	SPRING DOWELL	54-01-003
04	OIL SEAL	54-01-004
05	BEARING HOUSING	54-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	54-01-006
07	WASHER	54-01-007
08	O - RING	54-01-008
09	CASTLE NUT	54-01-009
10	COTTER PIN	54-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	54-03-001
12	INNER TUBE 1.5 M	54-03-002
13	INNER TUBE EXTENTION	54-03-003
14	CORE LIFTER	54-03-004
15	CORE LIFTER CASE	54-03-005
16	OUTER TUBE 3.0 M	54-02-001
16	OUTER TUBE 1.5 M	54-02-002
17	BLANK REAMING SHELL	54-02-003
18	BIT BLANK	54-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

101 – T2 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-18	101 – T2 CORE BARREL ASSEMBLY 3.0 M	56-00-100
1-18	101– T2 CORE BARREL ASSEMBLY 1.5 M	56-00-110
1-11	101 – T2 HEAD ASSEMBLY	56-00-200
01	HEAD	56-01-001
02	SPINDLE	56-01-002
03	SPRING DOWELL	56-01-003
04	O - RING	56-01-004
05	BEARING HOUSING	56-01-005
06	TAPER ROLLER BEARINGS - 2 NOS.	56-01-006
07	BUSH	56-01-007
08	OIL SEAL	56-01-008
09	CASTLE NUT	56-01-009
10	COTTER PIN	56-01-010
11	GREASE FITTING	16-03-024
12	INNER TUBE 3.0 M	56-03-001
12	INNER TUBE 1.5 M	56-03-002
13	INNER TUBE EXTENTION	56-03-003
14	CORE LIFTER	56-03-004
15	CORE LIFTER CASE	56-03-005
16	OUTER TUBE 3.0 M	56-02-001
16	OUTER TUBE 1.5 M	56-02-002
17	BLANK REAMING SHELL	56-02-003
18	BIT BLANK	56-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

76 – T6 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	76 – T6 CORE BARREL ASSEMBLY 3.0 M	42-00-100
1-17	76 – T6 CORE BARREL ASSEMBLY 1.5 M	42-00-110
1-11	76 – T6 HEAD ASSEMBLY	42-00-200
01	HEAD	42-01-001
02	BEARING HOUSING	42-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	42-01-003
04	WASHER	42-01-004
05	CASTLE NUT	42-01-005
06	COTTER PIN	42-01-006
07	SPINDLE	42-01-007
08	O - RING	42-01-008
09	GREASE FITTING	16-03-024
10	HEX - NUT	42-01-009
11	INNER TUBE CAP	42-01-010
12	INNER TUBE 3.0 M	42-03-001
12	INNER TUBE 1.5 M	42-03-002
13	CORE LIFTER	42-03-003
14	CORE LIFTER CASE	42-03-004
15	OUTER TUBE 3.0 M	42-02-001
15	OUTER TUBE 1.5 M	42-02-002
16	BLANK REAMING SHELL	42-02-003
17	BIT BLANK	42-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

86 – T6 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	86 – T6 CORE BARREL ASSEMBLY 3.0 M	44-00-100
1-17	86 – T6 CORE BARREL ASSEMBLY 1.5 M	44-00-110
1-11	86 – T6 HEAD ASSEMBLY	44-00-200
01	HEAD	44-01-001
02	BEARING HOUSING	44-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	44-01-003
04	WASHER	44-01-004
05	CASTLE NUT	44-01-005
06	COTTER PIN	44-01-006
07	SPINDLE	44-01-007
08	O - RING	44-01-008
09	GREASE FITTING	16-03-024
10	HEX - NUT	44-01-009
11	INNER TUBE CAP	44-01-010
12	INNER TUBE 3.0 M	44-03-001
12	INNER TUBE 1.5 M	44-03-002
13	CORE LIFTER	44-03-003
14	CORE LIFTER CASE	44-03-004
15	OUTER TUBE 3.0 M	44-02-001
15	OUTER TUBE 1.5 M	44-02-002
16	BLANK REAMING SHELL	44-02-003
17	BIT BLANK	44-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

101 – T6 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	101 – T6 CORE BARREL ASSEMBLY 3.0 M	46-00-100
1-17	101 – T6 CORE BARREL ASSEMBLY 1.5 M	46-00-110
1-11	101 – T6 HEAD ASSEMBLY	46-00-200
01	HEAD	46-01-001
02	BEARING HOUSING	46-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	46-01-003
04	WASHER	46-01-004
05	CASTLE NUT	46-01-005
06	COTTER PIN	46-01-006
07	SPINDLE	46-01-007
08	O - RING	46-01-008
09	GREASE FITTING	16-03-024
10	HEX – NUT	46-01-009
11	INNER TUBE CAP	46-01-010
12	INNER TUBE 3.0 M	46-03-001
12	INNER TUBE 1.5 M	46-03-002
13	CORE LIFTER	46-03-003
14	CORE LIFTER CASE	46-03-004
15	OUTER TUBE 3.0 M	46-02-001
15	OUTER TUBE 1.5 M	46-02-002
16	BLANK REAMING SHELL	46-02-003
17	BIT BLANK	46-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18” LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

116 – T6 CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-17	116 – T6 CORE BARREL ASSEMBLY 3.0 M	48-00-100
1-17	116 – T6 CORE BARREL ASSEMBLY 1.5 M	48-00-110
1-11	116- T6 HEAD ASSEMBLY	48-00-200
01	HEAD	48-01-001
02	BEARING HOUSING	48-01-002
03	TAPER ROLLER BEARINGS – 2 NOS.	48-01-003
04	WASHER	48-01-004
05	CASTLE NUT	48-01-005
06	COTTER PIN	48-01-006
07	SPINDLE	48-01-007
08	O - RING	48-01-008
09	GREASE FITTING	16-03-024
10	HEX - NUT	48-01-009
11	INNER TUBE CAP	48-01-010
12	INNER TUBE 3.0 M	48-03-001
12	INNER TUBE 1.5 M	48-03-002
13	CORE LIFTER	48-03-003
14	CORE LIFTER CASE	48-03-004
15	OUTER TUBE 3.0 M	48-02-001
15	OUTER TUBE 1.5 M	48-02-002
16	BLANK REAMING SHELL	48-02-003
17	BIT BLANK	48-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY , WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

NMLC CORE BARREL




	ITEM DESCRIPTION	PART NUMBERS
1-31	NMLC CORE BARREL - 3.0m/ 10 ft	68-00-100
1-31	NMLC CORE BARREL - 1.5m/ 5 ft	68-00-110
1-10	NMLC HEAD ASSEMBLY	68-00-200
01	NMLC HEAD	68-01-001
02	WATER PUMP PLUG	66-01-002
03	SPINDLE	68-01-003
04	OIL SEAL	68-01-004
05	BEARING HOUSING CAP	68-01-005
06	BALL BEARING	68-01-006
07	THRUST BEARING	68-01-007
08	BEARING HOUSING	68-01-008
09	OIL SEAL	68-01-009
10	GRUB	66-01-010
11	SPACER 1.56 mm THICK	68-03-001
12	SPACER 3.12 mm THICK	68-03-002
13	INNER TUBE - 3.0m / 10 ft	68-03-003
13	INNER TUBE - 1.5m / 5 ft	68-03-004
14	BRASS PISTON ASSEMBLY	68-03-005
15	BRASS SCREW	66-03-006
16	BRASS WASHER I	68-03-007
17	OIL SEALS - 2 NOS.	68-03-008
18	BRASS WASHER II	68-03-009
19	SPRING	66-03-010
20	STEEL BALL	66-03-011
21	BRASS PLUG	68-03-012
22	BRASS GRUB	66-03-013
23	SPLIT TUBE - 3.0m / 10 ft	68-03-014
23	SPLIT TUBE - 1.5m / 5 ft	68-03-015
24	RING STOP	68-03-016
25	CORE LIFTER	68-03-017
26	CORE LIFTER CASE	68-03-018
27	OUTER TUBE - 3.0m / 10 ft	68-02-001
27	OUTER TUBE - 1.5m / 5 ft	68-02-002
28	THREAD PROTECTOR	68-02-003
29	BRASS PISTON GUIDE	68-02-004
30	5/16" ALLEN KEY	66-02-005
31	3MM ALLEN KEY	66-02-006

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS WELDED ON THE DIAMETER OF EACH HEAD WHICH ARE 60 Rc TO 65 Rc .

THE OUTER TUBES HAVE HARD METAL STRIPS WELDED AT BOTH ENDS. THESE STRIPS HAVE HARDNESS OF 60 TO 65 Rc AND CONSIDERABLY REDUCE THE WEAR AND TEAR ON THE OUTER TUBE.

HMLC CORE BARREL



	ITEM DESCRIPTION	PART NUMBERS
1-31	HMLC CORE BARREL - 3.0m/ 10 ft	66-00-100
1-31	HMLC CORE BARREL - 1.5m/ 5 ft	66-00-110
1-10	HMLC HEAD ASSEMBLY	66-00-200
01	HMLC HEAD	66-01-001
02	WATER PUMP PLUG	66-01-002
03	SPINDLE	66-01-003
04	OIL SEAL	66-01-004
05	BEARING HOUSING CAP	66-01-005
06	BALL BEARING	66-01-006
07	THRUST BEARING	66-01-007
08	BEARING HOUSING	66-01-008
09	OIL SEAL	66-01-009
10	GRUB	66-01-010
11	SPACER 1.56 mm THICK	66-03-001
12	SPACER 3.12 mm THICK	66-03-002
13	INNER TUBE - 3.0m / 10 ft	66-03-003
13	INNER TUBE - 1.5m / 5 ft	66-03-004
14	BRASS PISTON ASSEMBLY	66-03-005
15	BRASS SCREW	66-03-006
16	BRASS WASHER I	66-03-007
17	OIL SEALS – 2 NOS.	66-03-008
18	BRASS WASHER II	66-03-009
19	SPRING	66-03-010
20	STEEL BALL	66-03-011
21	BRASS PLUG	66-03-012
22	BRASS GRUB	66-03-013
23	SPLIT TUBE - 3.0m / 10 ft	66-03-014
23	SPLIT TUBE - 1.5m / 5 ft	66-03-015
24	RING STOP	66-03-016
25	CORE LIFTER	66-03-017
26	CORE LIFTER CASE	66-03-018
27	OUTER TUBE - 3.0m / 10 ft	66-02-001
27	OUTER TUBE - 1.5m / 5 ft	66-02-002
28	THREAD PROTECTOR	66-02-003
29	BRASS PISTON GUIDE	66-02-004
30	5/16" ALLEN KEY	66-02-005
31	3MM ALLEN KEY	66-02-006

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS WELDED ON THE DIAMETER OF EACH HEAD WHICH ARE 60 Rc TO 65 Rc .

THE OUTER TUBES HAVE HARD METAL STRIPS WELDED AT BOTH ENDS. THESE STRIPS HAVE HARDNESS OF 60 TO 65 Rc AND CONSIDERABLY REDUCE THE WEAR AND TEAR ON THE OUTER TUBE.

TUNGSTEN CARBIDE BITS

- ❖ TUNGSTEN CARBIDE CORE BITS
- ❖ TUNGSTEN CARBIDE CASING SHOES



TUNGSTEN CARBIDE CORE BITS



SIZE	SET O.D.	SET I.D.	WEIGHT KGS	PART NUMBERS
AWM/AWG	47.37	30.1	0.5	200-01-001
BWM/BWG	59.18	42.0	1.7	200-01-002
NWM/NWG	75.7	54.7	2.2	200-01-003
HWM/HWG	91.3	72.1	2.9	200-01-004
NX	75.7	54.7	1.5	200-01-005
BQ	59.95	36.5	1.9	200-01-006
NQ	75.7	47.6	2.2	200-01-007
HQ	96.0	63.5	2.6	200-01-008
BQ3	60.0	33.5	1.9	200-01-009
NQ3	75.7	45.0	2.2	200-01-010
HQ3	96.0	61.1	2.6	200-01-011



TUNGSTEN CARBIDE CASING SHOES




SIZE	SET O.D.	SET I.D.	WEIGHT KGS	PART NUMBERS
AW/AX	59.18	45.21	0.5	200-00-001
BW/BX	74.80	56.26	1.7	200-00-002
NW/NX	91.31	72.29	2.2	200-00-003
HW/HX	117.5	99.82	2.9	200-00-004
PW/PX	143.5	121.3	3.8	200-00-005

WATER SWIVELS

- ❖ COMPACT WATER SWIVELS
- ❖ COMPACT PLUS WATER SWIVELS
- ❖ UNIVERSAL WATER SWIVELS


5 TON COMPACT WATER SWIVEL



	ITEM DESCRIPTION	PART NUMBERS
1-16	5 TON WATER SWIVEL	30-00-100
01	BAIL	30-00-001
02	BRASS WASHER MALE	30-00-002
03	GASKET – 4 NOS.	30-00-003
04	BRASS WASHER FEMALE	30-00-004
05	WAVE WASHER	30-00-005
06	O RING	30-00-006
07	O RING	30-00-007
08	SPINDLE WEAR BUSH	30-00-008
09	BRASS BUSH	30-00-009
10	SPINDLE	30-00-010
11	BALL BEARING	30-00-011
12	O RING	30-00-012

	ITEM DESCRIPTION	PART NUMBERS
13	BODY	30-00-013
14	FELT RING	30-00-014
15	GREASE FITTING	16-03-024
16	ADAPTER AW	30-00-016

10 TON COMPACT PLUS WATER SWIVEL



	ITEM DESCRIPTION	PART NUMBERS
1-17	10 TON WATER SWIVEL	32-00-100
01	BAIL	32-00-001
02	BRASS WASHER MALE	32-00-002
03	GASKET – 4 NOS.	32-00-003
04	BRASS WASHER FEMALE	32-00-004
05	WAVE WASHER	32-00-005
06	O RING	32-00-006
07	O RING	32-00-007
08	SPINDLE WEAR BUSH	32-00-008
09	BRASS BUSH	32-00-009
10	SPINDLE	32-00-010
11	BALL BEARING	32-00-011

	ITEM DESCRIPTION	PART NUMBERS
12	TAPER ROLLER BEARING	32-00-012
13	O RING	32-00-013
14	BODY	32-00-014
15	GREASE FITTING	16-03-024
16	FELT RING	32-00-016
17	ADAPTER BW	32-00-017


Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141

Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com

25 TON UNIVERSAL WATER SWIVEL




	ITEM DESCRIPTION	PART NUMBERS
1-17	25 TON WATER SWIVEL	34-00-100
01	BAIL	34-00-001
02	COMPRESSION SPRING	34-00-002
03	SPINDLE EXTENSION	34-00-003
04	MALE GASKET	34-00-004
05	GASKETS - 3 NOS.	34-00-005
06	FEMALE GASKET	34-00-006
07	O RING	34-00-007
08	BRASS BUSH	34-00-008
09	CHECK NUT	34-00-009
10	LOCKING WASHER	34-00-010

	ITEM DESCRIPTION	PART NUMBERS
11	SPACER	34-00-011
12	CIR CLIP	34-00-012
13	BALL BEARING - 5210	34-00-013
14	SPINDLE BW	34-00-014
15	THRUST BEARING - 211	34-00-015
16	BODY	34-00-016
17	GREASE FITTING	16-03-024

HOISTING PLUGS


- ❖ 5 TON HOISTING PLUG
- ❖ 10 TON HOISTING PLUG

HOISTING PLUG - 5 TON



	ITEM DESCRIPTION	PART NUMBERS
1-9	5 TON - HOISTING PLUG	36-00-100
01	SPINDLE	36-00-001
02	BALL BEARING	36-00-002
03	BEARING HOUSING	36-00-003
04	THRUST BEARING	36-00-004
05	CASTLE NUT	36-00-005
06	COTTER PIN	36-00-006
07	HOISTING PLUG BODY	36-00-007
08	GRUB	36-00-008
09	GREASE FITTING	16-03-014

HOISTING PLUG - 10 TON



	ITEM DESCRIPTION	PART NUMBERS
1-9	10 TON - HOISTING PLUG	38-00-100
01	SPINDLE	38-00-001
02	BEARING	38-00-002
03	BEARING HOUSING	38-00-003
04	RHRUST BEARING	38-00-004
05	CASTLE NUT	38-00-005
06	COTTER PIN	38-00-006
07	GRUB	38-00-007
08	HOISTING PLUG BODY	38-00-008
09	GREASE FITTING	16-03-014

CASINGS

- ❖ ' W ' SERIES FLUSH JOINT CASINGS
- ❖ ' X ' SERIES FLUSH CPUPLED CASINGS



W SERIES CASINGS



SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AW	0.5	57.1	48.4	4	3.1	K6-01-001
AW	1	57.1	48.4	4	6.2	K6-01-002
AW	1.5	57.1	48.4	4	8.3	K6-01-003
AW	3	57.1	48.4	4	16.9	K6-01-004
BW	0.5	73.0	60.3	4	5.4	K6-02-001
BW	1	73.0	60.3	4	10.6	K6-02-002
BW	1.5	73.0	60.3	4	15.3	K6-02-003
BW	3	73.0	60.3	4	31.2	K6-02-004
NW	0.5	88.9	76.2	4	6.7	K6-03-001
NW	1	88.9	76.2	4	13.2	K6-03-002
NW	1.5	88.9	76.2	4	19.1	K6-03-003
NW	3	88.9	76.2	4	38.8	K6-03-004
HW	0.5	114.3	101.6	4	8.6	K6-04-001
HW	1	114.3	101.6	4	17.4	K6-04-002
HW	1.5	114.3	101.6	4	25.0	K6-04-003
HW	3	114.3	101.6	4	50.8	K6-04-004
HWT	0.5	114.3	101.6	2.5	8.8	K6-05-001
HWT	1	114.3	101.6	2.5	17.9	K6-05-002
HWT	1.5	114.3	101.6	2.5	25.0	K6-05-003
HWT	3	114.3	101.6	2.5	50.9	K6-05-004
PW	0.5	139.7	126.5	3	12.5	K6-06-001
PW	1	139.7	126.5	3	25	K6-06-002
PW	1.5	139.7	126.5	3	34.7	K6-06-003
PW	3.0	139.7	126.5	3	69.4	K6-06-004

ALL KUVAWALA CASINGS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 . ALL DRILL CASINGS ARE PARALLEL WALL



X SERIES CASINGS



SIZE	LENGTH	O.D.	I.D.	T.P.I	WEIGHT KGS	PART NUMBERS
AX	0.5	57.4	50.8	8	3	K9-01-001
AX	1	57.4	50.8	8	5.2	K9-01-002
AX	1.5	57.4	50.8	8	7.5	K9-01-003
AX	3	57.4	50.8	8	14.8	K9-01-004
BX	0.5	73	65	8	5.1	K9-02-001
BX	1	73	65	8	9.6	K9-02-002
BX	1.5	73	65	8	11.4	K9-02-003
BX	3	73	65	8	21.8	K9-02-004
NX	0.5	88.9	80.9	8	5.7	K9-03-001
NX	1	88.9	80.9	8	9.8	K9-03-002
NX	1.5	88.9	80.9	8	14	K9-03-003
NX	3	88.9	80.9	8	26.6	K9-03-004
HX	0.5	114.3	104.6	5	8.3	K9-04-001
HX	1	114.3	104.6	5	14.9	K9-04-002
HX	1.5	114.3	104.6	5	21.5	K9-04-003
HX	3	114.3	104.6	5	41.3	K9-04-004

ALL KUVAWALA CASINGS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 . ALL DRILL CASINGS ARE PARALLEL WALL

STANDARD ' X ' SERIES CASINGS ARE FLUSH COUPLED AND A COUPLING IS SUPPLIED WITH EACH CASING LENGTH. COUPLINGS ARE MADE OF HEAT TREATED ALLOY STEEL.

WEIGHTS GIVEN ABOVE ARE INCLUSIVE OF COUPLING WEIGHT.

RECOVERY TOOLS

- ❖ RECOVERY TAPS MALE
- ❖ RECOVERY TAPS FEMALE
- ❖ FISHING DRILL RODS LEFT HAND



RECOVERY TAPS MALE



RIGHT HANDED TAPS			
SIZE	CONNECTON	WEIGHT KGS	PART NUMBERS
DRILL RODS			
AQ / AW	AW	1.3	95-00-001
BQ / BW	BW	2.2	95-00-002
NQ / NW	NW	4.7	95-00-003
HQ / HW	NW	5.5	95-00-004
PHD / PQ	NW	13.1	95-00-005
CASINGS			
BW	NW	4.7	95-00-006
NW / NX	NW	5.5	95-00-007
HW / HX	NW	13.1	95-00-008
HWT	NW	13.1	95-00-009

LEFT HANDED TAPS			
SIZE	CONNECTON	WEIGHT KGS	PART NUMBERS
DRILL RODS			
AQ / AW	AW	1.3	95-00-010
BQ / BW	BW	2.2	95-00-011
NQ / NW	NW	4.7	95-00-012
HQ / HW	NW	5.5	95-00-013
PHD / PQ	NW	13.1	95-00-014
CASINGS			
BW / BX	NW	4.7	95-00-015
NW / NX	NW	5.5	95-00-016
HW / HX	NW	13.1	95-00-017
HWT	NW	13.1	95-00-018

Head Office: 524, Arun Chambers, Tardeo, Mumbai 400 034. INDIA.

Factory: Hadapsar, Pune. Tel.: +91-22-6663 5452 / 2351 6141

Email: sales@kuvawalacoredrill.com / mgk@kuvawalacoredrill.com

www.kuvawalacoredrill.com



RECOVERY TAPS FEMALE



RIGHT HANDED BELL TAPS			
SIZE	CONNECTON	WEIGHT KGS	PART NUMBERS
DRILL RODS			
BQ / BW	BW	1.7	96-00-001
NQ / NW	NW	3.9	96-00-002
HQ / HW	NW	6.4	96-00-003

LEFT HANDED BELL TAPS			
SIZE	CONNECTON	WEIGHT KGS	PART NUMBERS
DRILL RODS			
BQ / BW	BW	1.7	96-00-004
NQ / NW	NW	3.9	96-00-005
HQ / HW	NW	6.4	96-00-007

ADAPTERS

DRILL ROD ADAPTORS




PIN	PIN	WEIGHT KGS	PART NUMBERS
AW	BW	1.4	94-00-050
AW	NW	1.9	94-00-051
BW	NW	2.2	94-00-052



PIN	W/L PIN	WEIGHT KGS	PART NUMBERS
AW	BQ	1.4	94-00-053
AW	NQ	2.2	94-00-054
AW	HQ	3.2	94-00-055
BW	BQ	1.4	94-00-056
BW	NQ	2.3	94-00-057
BW	HQ	3.3	94-00-058
BW	PQ	3.5	94-00-059
BW	PHD	3.5	94-00-060
NW	NQ	2.6	94-00-061
NW	HQ	3.5	94-00-062
NW	PQ	4.4	94-00-063
NW	PHD	4.4	94-00-064

DRILL ROD ADAPTORS




ROD BOX	W/L PIN	WEIGHT KGS	PART NUMBERS
AW	AQ	0.7	94-00-065
AW	BQ	1.3	94-00-066
AW	NQ	2.4	94-00-067
BW	BQ	1.0	94-00-068
BW	NQ	2.0	94-00-069
BW	HQ	3.8	94-00-070
NW	NQ	1.4	94-00-071
NW	HQ	3.5	94-00-072
NW	PQ	4.4	94-00-073
NW	PHD	4.4	94-00-074




ROD PIN	W/L BOX	WEIGHT KGS	PART NUMBERS
AW	BQ	1.1	94-00-075
AW	NQ	1.7	94-00-076
AW	HQ	3.1	94-00-077
BW	BQ	1.1	94-00-078
BW	NQ	1.8	94-00-079
BW	HQ	2.9	94-00-080
BW	PQ	4.4	94-00-081
BW	PHD	4.4	94-00-082
NW	NQ	1.6	94-00-083
NW	HQ	2.7	94-00-084
NW	PQ	4.8	94-00-085
NW	PHD	4.8	94-00-086

CASING ADAPTORS




BOX	PIN	WEIGHT KGS	PART NUMBERS
AW	BW CASING	2.8	94-00-001
AW	NW CASING	5.0	94-00-002
AW	HW CASING	6.0	94-00-003
BW	BW CASING	2.5	94-00-004
BW	NW CASING	4.6	94-00-005
BW	HW CASING	8.3	94-00-006
BW	PW CASING	11.4	94-00-007
NW	NW CASING	4.2	94-00-008
NW	HW CASING	8.4	94-00-009
NW	PW CASING	11.9	94-00-010



BOX	PIN	WEIGHT KGS	PART NUMBERS
BQ	BW CASING	2.0	94-00-011
BQ	NW CASING	3.9	94-00-012
NQ	BW CASING	0.9	94-00-013
NQ	NW CASING	3.0	94-00-014
NQ	HW CASING	7.8	94-00-015
HQ	NW CASING	1.4	94-00-016
HQ	HW CASING	5.6	94-00-017
PQ	HW CASING	2.2	94-00-018
PHD	HW CASING	2.4	94-00-019
PHD	PW CASING	6.7	94-00-020




CASING ADAPTORS



BOX	PIN	WEIGHT KGS	PART NUMBERS
AW	BX CASING	3.0	94-00-021
AW	NX CASING	5.2	94-00-022
AW	HX CASING	6.2	94-00-023
BW	BX CASING	2.7	94-00-024
BW	NX CASING	4.8	94-00-025
BW	HX CASING	8.5	94-00-026
BW	PX CASING	11.6	94-00-027
NW	NX CASING	4.4	94-00-028
NW	HX CASING	8.6	94-00-029
NW	PX CASING	12.1	94-00-030

CASING DRIVE SHOE



BOX	WEIGHT KGS	PART NUMBERS
BW	0.8	94-00-031
BX	0.8	94-00-032
NW	1	94-00-033
NX	1	94-00-034
HW	1.2	94-00-035
HX	1.2	94-00-036
PW	1.4	94-00-037
PX	1.4	94-00-038



A.P.I. ADAPTORS



ROD BOX	API BOX	WEIGHT KGS	PART NUMBERS
BW	2 3/8" API REG	5.5	94-00-039
BW	2 7/8" API REG	6.9	94-00-040
BW	3 1/2" API REG	9.0	94-00-041
NW	2 3/8" API REG	5.9	94-00-042
NW	2 7/8" API REG	7.3	94-00-043
NW	3 1/2" API REG	9.5	94-00-044
NQ	2 3/8" API REG	3.3	94-00-045
NQ	2 7/8" API REG	3.0	94-00-046
HQ	2 3/8" API REG	3.0	94-00-047
HQ	2 7/8" API REG	2.7	94-00-048
HQ	3 1/2" API REG	4.5	94-00-049

WRENCHES



FULL GRIP PIPE WRENCHES




WIRESLINE WRENCHES		
OUTER TUBE WRENCHES		
SIZE	WEIGHT KGS	PART NUMBERS
AQ	1.8	97-00-001
BQ	1.8	97-00-002
NQ	3.7	97-00-003
HQ	4.3	97-00-004
PQ	5.7	97-00-005
INNER TUBE WRENCHES		
AQ	1.5	97-00-006
BQ	1.8	97-00-007
NQ	1.7	97-00-008
HQ	3.7	97-00-009
PQ	4.1	97-00-010

WIRESLINE DRILL ROD WRENCHES		
SIZE	WEIGHT KGS	PART NUMBERS
AQ	1.8	97-00-011
BQ	1.8	97-00-012
NQ	3.7	97-00-013
HQ	4.3	97-00-014
PQ	5.7	97-00-015



PIPE WRENCHES



PIPE WRENCHES		
SIZE	WEIGHT KGS	PART NUMBERS
18 " PIPE WRENCHES	2.6	98-00-000
24 " PIPE WRENCHES	4.8	98-00-002
36 " PIPE WRENCHES	8.9	98-00-004
48 " PIPE WRENCHES	13.8	98-00-006